



| | | | | | | |
|--|--------------|----------------------|--|--|---------------|--|
| Mark 720 | Group PCB | NTA NEET-2023 | | | | Date : 07/05/2023 Time : 03 Hrs 20 Mins |
| Physics - 50 | | Chemistry - 50 | | | Biology - 100 | |
| Test Booklet Code | | Roll Number | | | | Question Booklet Sr. No. |
| E5 (Write this number on your Answer Sheet) | | 0 | | | | |


E5

ANSWER KEY

Section 'A' : Physics

Section 'A'

1. If the galvanometer G does not show any deflection in the circuit shown, the value of R is given by



- 1) 200 Ω 2) 50 Ω
3) 100 Ω 4) 400 Ω

Sol.(3) :

2. Given below are two statements :

Statement I : Photovoltaic devices can convert optical radiation into electricity

Statement II : Zener diode is designed to operate under reverse bias in breakdown region.

In the light of the above statement, choose the most appropriate answer from the options given below :

- 1) Both Statement I and Statement II are correct
2) both Statement I and Statement II are incorrect
3) Statement I is correct but Statement II is incorrect
4) Statement I is incorrect but Statement II is correct.

Sol.(1)

3. A full wave rectifier circuit consists of two p-n junction diodes a centre tapped transformer, capacitor and a load resistance. Which of these components remove the ac ripple from the rectified output ?

- 1) A centre-tapped transformer
2) p-n junction diodes
3) Capacitor
4) Load resistance

Sol.(3)

4. The errors in the measurement which arise due to unpredictable fluctuations in temperature and voltage supply are

- 1) Instrumental errors
2) Personal errors
3) Least count errors
4) Random errors

Sol.(4)

5. Let a wire be suspended from the ceiling (rigid support) and stretched by a weight W attached at its free end. The longitudinal stress at any point of cross-sectional area A of the wire is

- 1) $2W/A$ 2) W/A
3) $W/2A$ 4) Zero

Sol.(2)

6. The temperature of a gas is -50°C . To what temperature the gas should be heated so that the rms speed is increased by 3 times?

- 1) 669°C 2) 3295°C
3) 3097 K 4) 223 K


Sol.(2)

7. The magnetic energy stored in an inductor of inductance $4\text{ }\mu\text{H}$ carrying a current of 2 A is

- 1) $4\text{ }\mu\text{J}$ 2) 4 mJ
3) 8 mJ 4) $8\text{ }\mu\text{J}$

Sol.(4)

8. The equivalent capacitance of the system shown in the following circuit is



- 1) $2\text{ }\mu\text{F}$ 2) $3\text{ }\mu\text{F}$
3) $6\text{ }\mu\text{F}$ 4) $9\text{ }\mu\text{F}$

Sol.(1)

9. The venturi-meter works on :

- 1) Huygen's principle
2) Bernoulli's principle
3) The principle of parallel axes
4) The principle of perpendicular axes

Sol.(2)

10. The ratio of frequencies of fundamental harmonic produced by an open pipe to that of closed pipe having the same length is :

- 1) 1 : 2 2) 2 : 1
3) 1 : 3 4) 3 : 1

Sol.(2)

11. Light travels a distance x in time t_1 in air and $10x$ in time t_2 in another denser medium. What is the critical angle for this medium?

- 1) $\sin^{-1}\left(\frac{t_2}{t_1}\right)$ 2) $\sin^{-1}\left(\frac{10t_2}{t_1}\right)$
3) $\sin^{-1}\left(\frac{t_1}{10t_2}\right)$ 4) $\sin^{-1}\left(\frac{10t_1}{t_2}\right)$

Sol.(4)

12. If $\oint_s \vec{E} \cdot d\vec{S} = 0$ over a surface, then :

- 1) the number of flux lines entering the surface must be equal to the number of flux lines leaving it.
2) the magnitude of electric field on the surface is constant.
3) all- the charges must necessarily be inside the surface.
4) the electric field inside the surface is necessarily uniform.

Sol.(1)

13. A 12 V, 60 W lamp is connected to the secondary of a step down transformer, whose primary is connected to ac mains of 220 V. Assuming the transformer to be ideal, what is the current in the primary winding?

- 1) 0.27 A 2) 2.7 A
3) 3.7 A 4) 0.37 A

Sol.(1)

14. The minimum wavelength of X-rays produced by an electron accelerated through a potential difference of V volts is proportional to:

- 1) \sqrt{V} 2) $\frac{1}{V}$
3) $\frac{1}{\sqrt{V}}$ 4) V^2


Sol. (2)

15. The amount of energy required to form a soap bubble of radius 2 cm from a soap solution is nearly : (surface tension of soap solution = 0.03 N m^{-1})

- 1) $30.16 \times 10^{-4} \text{ J}$ 2) $5.06 \times 10^{-4} \text{ J}$
3) $3.01 \times 10^{-4} \text{ J}$ 4) $50.1 \times 10^{-4} \text{ J}$

Sol.(3)

16. The magnitude and direction of the current in the following circuit is



- 1) 0.2 A from B to A through E
2) 0.5 A from A to B through E
3) $\frac{5}{9}$ A from A to B through E
4) 1.5 A from B to A through E

Sol.(2)

17. The work functions of Caesium (Cs), Potassium (K) and Sodium (Na) are 2.14 eV, 2.30 eV and 2.75 eV respectively. If incident electromagnetic radiation has an incident energy of 2.20eV, which of these photosensitive surfaces may emit photoelectrons?

- 1) Cs only 2) Both Na and K
3) K only 4) Na only

Sol.(1)

18. The net magnetic flux through "any closed" surface is

- 1) Zero 2) Positive
3) Infinity 4) Negative

Sol.(1)

19. In a plane electromagnetic wave travelling in free space, the electric field component oscillates sinusoidally at a frequency of $2.0 \times 10^{10} \text{ Hz}$ and amplitude 48 Vm^{-1} . Then the amplitude of oscillating magnetic field is (Speed of light in free space = $3 \times 10^8 \text{ m s}^{-1}$)

- 1) $1.6 \times 10^{-9} \text{ T}$ 2) $1.6 \times 10^{-8} \text{ T}$
3) $1.6 \times 10^{-7} \text{ T}$ 4) $1.6 \times 10^{-6} \text{ T}$

Sol.(3)

20. A bullet is fired from a gun at the speed of 280 m s^{-1} in the direction 30° above the horizontal. The maximum height attained by the bullet is ($g = 9.8 \text{ ms}^{-2}$, $\sin 30^\circ = 0.5$)

- 1) 2800 m 2) 2000 m
3) 1000 m 4) 3000 m

Sol.(3)

21. An electric dipole is placed at an angle of 30° with an electric field of intensity $2 \times 10^5 \text{ NC}^{-1}$. It experiences a torque equal to 4 Nm. Calculate the magnitude of charge on the dipole, if the dipole length is 2 cm.

- 1) 8 mC 2) 6 mC
3) 4 mC 4) 2 mC

Sol.(4)

22. For Young's double slit experiment, two statements are given below:

Statement I : If screen is moved away from the plane of slits, angular separation of the fringes remains constant.

Statement II : If the monochromatic source is replaced by another monochromatic source of larger wavelength, the angular separation of fringes decreases.

In the light of the above statements, choose the correct answer from the options given below:

- 1) Both Statement I and Statement II are true.
2) Both Statement I and Statement II are false.
3) Statement I is true but Statement II is false.
4) Statement I is false but Statement II is true.

Sol.(3)

23. A football player is moving southward and suddenly turns eastward with the same speed to avoid an opponent. The force that acts on the player while turning is

- 1) along eastward
2) along northward
3) along north-east
4) along south-west

Sol.(3)

24. A metal wire has mass (0.4 ± 0.002) g, radius (0.3 ± 0.001) mm and length (5 ± 0.02) cm. The maximum possible percentage error in the measurement of density will nearly be:

- 1) 1.2% 2) 1.3%
3) 1.6% 4) 1.4%

Sol.(3)

25. An ac source is connected to a capacitor C. Due to decrease in its operating frequency

- 1) capacitive reactance decrease
2) displacement current increases.
3) displacement current decreases.
4) capacitive reactance remains constant

Sol.(3)

26. Resistance of a carbon resistor determined from colour codes is $(22000 \pm 5\%) \Omega$. The colour of third band must be

- 1) Red 2) Green
3) Orange 4) Yellow

Sol.(3)

27. A Carnot engine has an efficiency of 50% when its source is at a temperature 327°C . The temperature of the sink is

- 1) 27°C 2) 15°C
3) 100°C 4) 200°C

Sol.(1)

28. The angular acceleration of a body, moving along the circumference of a circle, is

- 1) along the radius, away from centre
2) along the radius towards the centre
3) along the tangent to its position
4) along the axis of rotation

Sol.(4)

29. In a series LCR circuit, the inductance L is 10 mH, capacitance C is $1 \mu\text{F}$ and resistance R is 100Ω . The frequency at which resonance occurs is

- 1) 15.9 rad/s 2) 15.9 kHz
3) 1.59 rad/s 4) 1.59 kHz

Sol.(4)

30. A vehicle travels half the distance with speed v and the remaining distance with speed $2v$. Its average speed is

- 1) $\frac{v}{3}$ 2) $\frac{2v}{3}$ 3) $\frac{4v}{3}$ 4) $\frac{3v}{4}$

Sol.(3)

31. In hydrogen spectrum, the shortest wavelength in the Balmer series is λ . The shortest wavelength in the Bracket series is

- 1) 2λ 2) 4λ
3) 9λ 4) 16λ

Sol.(2)

32. The ratio of radius of gyration of a solid sphere of mass M and radius R about its own axis to the radius of gyration of the thin hollow sphere of same mass and radius about its axis is

- 1) 3 : 5 2) 5 : 3
3) 2 : 5 4) 5 : 2

Sol. (*) $\sqrt{3/5}$

33. The half life of a radioactive substance is 20 minutes. In how much time, the activity of

substance drops to $\left(\frac{1}{16}\right)^{th}$ of its initial value?

- 1) 20 minutes 2) 40 minutes
3) 60 minutes 4) 80 minutes

Sol.(4)

34. Two bodies of mass m and $9m$ are placed at a distance R . The gravitational potential on the line joining the bodies where the gravitational field equals zero, will be (G = gravitational constant)

- 1) $-\frac{8Gm}{R}$ 2) $-\frac{12Gm}{R}$
3) $-\frac{16Gm}{R}$ 4) $-\frac{20Gm}{R}$

Sol.(3)


35. The potential energy of a long spring when stretched by 2 cm is U , If the spring is stretched by 8 cm, potential energy stored in it will be

- 1) $2U$ 2) $4U$
3) $8U$ 4) $16U$

Sol.(4)

Section 'B'

36. For the following logic circuit, the truth table is



- 1)

| A | B | Y |
|---|---|---|
| 0 | 0 | 1 |
| 0 | 1 | 1 |
| 1 | 0 | 1 |
| 1 | 1 | 0 |

 2)

| A | B | Y |
|---|---|---|
| 0 | 0 | 0 |
| 0 | 1 | 1 |
| 1 | 0 | 1 |
| 1 | 1 | 1 |
- 3)

| A | B | Y |
|---|---|---|
| 0 | 0 | 1 |
| 0 | 1 | 0 |
| 1 | 0 | 1 |
| 1 | 1 | 0 |

 4)

| A | B | Y |
|---|---|---|
| 0 | 0 | 0 |
| 0 | 1 | 0 |
| 1 | 0 | 0 |
| 1 | 1 | 1 |

Sol.(2)

37. Calculate the maximum acceleration of a moving car so that a body lying on the floor of the car remains stationary. The coefficient of static friction between the body and the floor is 0.15 ($g = 10 \text{ m s}^{-2}$).

- 1) 1.2 m s^{-2} 2) 150 m s^{-2}
3) 1.5 m s^{-2} 4) 50 m s^{-2}

Sol.(3)

38. The radius of inner most orbit of hydrogen atom is $5.3 \times 10^{-11} \text{ m}$. What is the radius of third allowed orbit of hydrogen atom?

- 1) 0.53 \AA 2) 1.06 \AA
3) 1.59 \AA 4) 4.77 \AA

Sol.(4)

39. A bullet from a gun is fired on a rectangular wooden block with velocity u . When bullet travels 24 cm through the block along its length horizontally, velocity of bullet


becomes $\frac{u}{3}$. Then it further penetrates into

the block in the same direction before coming to rest exactly at the other end of the block. The total length of the block is

- 1) 27 cm 2) 24 cm
3) 28 cm 4) 30 cm

Sol.(4)

40. The net impedance of circuit (as shown in figure) will be



- 1) $10\sqrt{2}\Omega$ 2) 15Ω
3) $5\sqrt{5}\Omega$ 4) 25Ω

Sol.(3)


41. A satellite is orbiting just above the surface of the earth with period T . If d is the density of the earth and G is the universal constant

of gravitation, the quantity $\frac{3\pi}{Gd}$ represents

- 1) T 2) T^2
3) T^3 4) \sqrt{T}

Sol.(2)

42. A very long conducting wire is bent in a semi-circular shape from A to B as shown in figure. The magnetic field at point P for steady current configuration is given by



- 1) $\frac{\mu_0 i}{4R}$ pointed into the page
- 2) $\frac{\mu_0 i}{4R}$ pointed away from the page
- 3) $\frac{\mu_0 i}{4R} \left[1 - \frac{2}{\pi} \right]$ pointed away from page
- 4) $\frac{\mu_0 i}{4R} \left[1 - \frac{2}{\pi} \right]$ pointed into the page

Sol.(3)

43. The resistance of platinum wire at 0°C is 2Ω and 6.8Ω at 80°C . The temperature coefficient of resistance of the wire is

- 1) $3 \times 10^{-4} \text{ }^\circ\text{C}^{-1}$
- 2) $3 \times 10^{-3} \text{ }^\circ\text{C}^{-1}$
- 3) $3 \times 10^{-2} \text{ }^\circ\text{C}^{-1}$
- 4) $3 \times 10^{-1} \text{ }^\circ\text{C}^{-1}$


Sol.(3)

44. 10 resistors, each of resistance R are connected in series in a battery of emf E and negligible internal resistance. Then those are connected in parallel to the same battery, the current is increased n times. The value of n is

- 1) 10
- 2) 100
- 3) 1
- 4) 1000

Sol.(2)

45. The x - t graph of a particle performing simple harmonic motion is shown in the figure. The acceleration of the particle at $t = 2$ s is



- 1) $\frac{\pi^2}{8} \text{ ms}^{-2}$
- 2) $-\frac{\pi^2}{8} \text{ ms}^{-2}$
- 3) $\frac{\pi^2}{16} \text{ ms}^{-2}$
- 4) $-\frac{\pi^2}{16} \text{ ms}^{-2}$


Sol.(4)

46. A wire carrying a current I along the positive x -axis has length L . It is kept in a magnetic field $\vec{B} = (2\hat{i} + 3\hat{j} - 4\hat{k})$ T. The magnitude of the magnetic force acting on the wire is

- 1) $3IL$
- 2) $\sqrt{5}IL$
- 3) $5IL$
- 4) $\sqrt{3}IL$

Sol.(3)

47. In the figure shown here, what is the equivalent focal length of the combination of lenses (Assume that all layers are thin)?



- 1) 40 cm
- 2) -40 cm
- 3) -100 cm
- 4) -50 cm

Sol.(3)

48. A horizontal bridge is built across a river. A student standing on the bridge throws a small ball vertically upwards with a velocity 4 ms^{-1} . The ball strikes the water surface after 4 s. The height of bridge above water surface is (Take $g = 10 \text{ ms}^{-2}$)

- 1) 56 m
- 2) 60 m
- 3) 64 m
- 4) 68 m


Sol.(3)

49. Two thin lenses are of same focal lengths (f), but one is convex and the other one is concave. When they are placed in contact with each other, the equivalent focal length of the combination will be

- 1) Zero
- 2) $f/4$
- 3) $f/2$
- 4) Infinite

Sol.(4)

50. An electric dipole is placed as shown in the figure.



The electric potential (in 10^2 V) at point P due to the dipole is (ϵ_0 = permittivity of free space

and $\frac{1}{4\pi\epsilon_0} = K$)

- 1) $\left(\frac{3}{8}\right)qK$
- 2) $\left(\frac{5}{8}\right)qK$
- 3) $\left(\frac{8}{5}\right)qK$
- 4) $\left(\frac{8}{3}\right)qK$

Sol.(1)

CHEMISTRY**CHEMISTRY : SECTION-A (Q. 1 to 85)**

51. Which of the following statements are Not correct?


- A. Hydrogen is used to reduce heavy metal oxides to metal
- B. Heavy water is used to study reaction mechanism
- C. Hydrogen is used to make saturated fats from oils.
- D. The H-H bond dissociation enthalpy is lowest as compared to a single bond between two atoms of any element
- E. Hydrogen reduces oxides of metals that are more active than iron.

Choose the most appropriate answer from the options given below

- 1) B, C, D, E only 2) B, D only
3) D, E only 4) A, B, C only

Sol. (3)

52. The given compound



is an example of _____.

- 1) benzylic halide 2) aryl halide
3) allylic halide 4) vinylic halide

Sol. (3)

53. Match List-I with List-II

| List-I | | List-II | |
|--------------|------|-----------------------------------|--|
| A. Coke | I. | Carbon atom are sp^3 hybridised | |
| B. Diamond | II. | Used as a dry lubricant | |
| C. Fullerene | III. | Used as a reducing agent | |
| D. Graphite | IV. | Cage like molecules | |

Correct the correct answer from the options given below :

- 1) A-II, B-IV, C-I, D-III
2) A-IV, B-I, C-II, D-III
3) A-III, B-I, C-IV, D-II
4) A-III, B-IV, C-I, D-II

Sol. (3)

54. In Lassaigne's extract of an organic compound, both nitrogen and sulphur are present, which gives blood red colour with Fe^{3+} due to the formation of -

- 1) $\text{Fe}_4[\text{Fe}(\text{CN})_6]_3 \cdot x\text{H}_2\text{O}$ 2) NaSCN
3) $[\text{Fe}(\text{CN})_5\text{NOS}]^{4-}$ 4) $[\text{Fe}(\text{SCN})]^{2+}$

Sol. (4)

55. Given below two statements : one is labelled as Assertion A and the other is labelled as Reason R :


Assertion A : A reaction can have zero activation energy

Reason : The minimum extra amount of energy absorbed by reactant molecules so that their energy becomes equal to threshold value, is called activation energy.

- 1) Both A and R are true and R is the correct explanation of A.
2) Both A and R are true and R is NOT the correct explanation of A.
3) A is true but R is false
4) A is false but R is true

Sol. (4)

56. Consider the following reaction and identify the product (P).



- 1) $\text{CH}_3-\underset{\substack{| \\ \text{CH}_3}}{\overset{\substack{\text{Br} \\ |}}{\text{C}}}-\text{CH}_2-\text{CH}_3$
2) $\text{CH}_3\text{CH}=\text{CH}-\text{CH}_3$
3) $\text{CH}_3-\underset{\substack{| \\ \text{CH}_3}}{\text{CH}}-\underset{\substack{| \\ \text{Br}}}{\text{CH}}-\text{CH}_3$
4) $\text{CH}_3-\underset{\substack{| \\ \text{CH}_3}}{\overset{\substack{\text{CH}_3 \\ |}}{\text{C}}}-\text{CH}_2\text{Br}$

Sol. (1)

57. Taking stability as the factor, which one of the following represents correct relationship ?

- 1) $TlCl_3 > TlCl$ 2) $InI_3 > InI$
 3) $AlCl > AlCl_3$ 4) $TlI > TlI_3$


Sol. (4)

58. The relation between n_m , (n_m = the number of permissible values of magnetic quantum number (m)) for a given value of azimuthal quantum number (l), is

- 1) $l = \frac{n_m - 1}{2}$ 2) $l = 2n_m + 1$
 3) $n_m = 2l^2 + 1$ 4) $n_m = l + 2$

Sol. (1)

59. Complete the following reaction :




[C] is _____

- 1) 2)
 3) 4)

Sol. (4)

60. The right option for the mass of CO_2 produced by heating 20 g of 20% pure limestone is (atomic mass of Ca = 40)



- 1) 1.12 g 2) 1.76 g
 3) 2.64 g 4) 1.32 g

Sol. (2)

61. Given below are two statements : one is labelled as Assertion A and the other is labelled as Reason R:

Assertion A : In equation $\Delta_r G = -nFE_{\text{cell}}$, value of $\Delta_r G$ depend on n .

Reason R : E_{cell} is an intensive property and $\Delta_r G$ is an extensive property.

In the light of the above statements, choose the correct answer from the options given below :

- 1) Both A and R are true and R is the correct explanation of A
 2) Both A and R are true and R is NOT the correct explanation of A
 3) A is true but R is false
 4) A is false but R is true

Sol. (1)

62. Amongst the given options which of the following molecules/ ion acts as a Lewis acid ?

- 1) NH_3 2) H_2O
 3) BF_3 4) OH^-

Sol. (3)

63. Homoleptic complex from the following complexes is

- 1) Potassium trioxalatoaluminate (III)
 2) Diamminechloridonitrito-N-platinum (II)
 3) Pentaamminecarbonatocobalt (III) chloride
 4) Triamminetriaquachromium (III) chloride

Sol. (1)

64. The number of σ bonds, π bonds and lone pair of electrons in pyridine, respectively are :

- 1) 11, 2, 0 2) 12, 3, 0
 3) 11, 3, 1 4) 12, 2, 1

Sol. (3)

65. Intermolecular forces are forces of attraction and repulsion between interacting particles that will include :

- A. dipole-dipole forces
- B. dipole-induced dipole forces
- C. hydrogen bonding
- D. covalent bonding
- E. dispersion forces

Choose the most appropriate answer from options given below :

- 1) B, C, D, E are correct
- 2) A, B, C, D are correct
- 3) A, B, C, E are correct
- 4) A, C, D, E are correct

Sol. (3)

66. Select the correct statements from the following

- A. Atoms of all elements are composed of two fundamental particles.
- B. The mass of the electron is 9.10939×10^{-31} kg.
- C. All the isotopes of a given element show same chemical properties
- D. Protons and electrons are collectively known as nucleons
- E. Dalton's atomic theory, regarded the atom as an ultimate particle of matter.

Choose the correct answer from the options given below :

- 1) A, B and C only 2) C, D and E only
- 3) A and E only 4) B, C and E only

Sol. (4)

67. Some tranquilizers are listed below. Which one from the following belongs barbiturates ?

- 1) Chlordiazepoxide 2) Meprobamate
- 3) Valium 4) Veronal

Sol. (4)

68. Given below are two statements : one is labelled as Assertion A and the other is labelled as Reason R.

Assertion A : Helium is used to dilute oxygen in diving apparatus.

Reason R : Helium has high solubility in O_2 .

In the light of the above statements, choose the correct answer from the option given below :

- 1) Both A and R are true and R is the correct explanation of A
- 2) Both A and R are true and R is NOT the correct explanation of A
- 3) A is true but R is false
- 4) A is false but R is true

Sol. (3)

69. Given below are two statements : one is labelled as Assertion A and the other is labelled as Reason R.

Assertion A : Metallic sodium dissolves in liquid ammonia giving a deep blue solution, which is paramagnetic.

Reason R : The deep blue solution is due to the formation of amide.

In the light of the above statements, choose the correct answer from the option given below :

- 1) Both A and R are true and R is the correct explanation of A
- 2) Both A and R are true and R is NOT the correct explanation of A
- 3) A is true but R is false
- 4) A is false but R is true

Sol. (3)

70. Weight (g) of two moles of the organic compound, which is obtained by heating sodium ethanoate with sodium hydroxide in presence of calcium oxide is :

- 1) 16 2) 32
- 3) 30 4) 18

Sol. (2)

71. The correct order of energies of molecular orbitals of N_2 molecule, is :

- 1) $\sigma 1s < \sigma^* 1s < \sigma 2s < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma 2p_z < (\pi^* 2p_x = \pi^* 2p_y) < \sigma^* 2p_z$
- 2) $\sigma 1s < \sigma^* 1s < \sigma 2s < \sigma^* 2s < \sigma 2p_z < (\pi 2p_x = \pi 2p_y) < (\pi^* 2p_x = \pi^* 2p_y) < \sigma^* 2p_z$
- 3) $\sigma 1s < \sigma^* 1s < \sigma 2s < \sigma^* 2s < \sigma 2p_z < \sigma^* 2p_z < (\pi 2p_x = \pi 2p_y) < (\pi^* 2p_x = \pi^* 2p_y)$
- 4) $\sigma 1s < \sigma^* 1s < \sigma 2s < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < (\pi^* 2p_x = \pi^* 2p_y) < \sigma 2p_z < \sigma^* 2p_z$

Sol. (1)

72. Amongst the following, the total number of species NOT having eight electrons around central atom in its outer most shell, is



- 1) 3
- 2) 2
- 3) 4
- 4) 1

Sol. (1)

73. Which one of an example of heterogenous catalysis ?

- 1) Oxidation of sulphur dioxide into sulphur trioxide in the presence of oxides of nitrogen
- 2) Hydrolysis of sugar catalysed by H^+ ions
- 3) Decomposition of ozone in presence of nitrogen monoxide
- 4) Combination between dinitrogen and dihydrogen to form ammonia in the presence of finely divided iron


Sol. (4)

74. Which one of the following statements is correct?

- 1) The daily requirement of Mg and Ca in the human body is estimated to be 0.2-0.3g
- 2) All enzymes that utilise ATP in phosphate transfer require Ca as the cofactor.
- 3) The bone in human body is an inert and unchanging substance
- 4) Mg plays roles in neuromuscular function and interneuronal transmission.


Sol. (1)

75. Which amongst the following options is correct graphical representation of Boyle's Law ?



Sol. (2)

76. Identify the product in the following reaction:



Sol. (2)

77. Which amongst the following molecules on polymerization produces neoprene ?

- 1) $H_2C = CH - CH = CH_2$
- 2) $H_2C = \overset{\text{Cl}}{\underset{|}{C}} - CH = CH_2$
- 3) $H_2C = CH - C \equiv CH$
- 4) $H_2C = \overset{\text{CH}_3}{\underset{|}{C}} - CH = CH_2$


Sol. (2)

78. The conductivity of centimolar solution of KCl at 25°C is $0.0210 \text{ ohm}^{-1} \text{ cm}^{-1}$ and the resistance of the cell containing the solution at 25°C is 60 ohm. The value of cell constant is

- 1) 1.34 cm^{-1} 2) 3.28 cm^{-1}
 3) 1.26 cm^{-1} 4) 3.34 cm^{-1}

Sol. (3)

79. Identify product (A) in the following reaction:



- 1)
- 2)
- 3)
- 4)

Sol. (1)

80. The stability of Cu^{2+} is more than Cu^+ salts in aqueous solution due to

- 1) first ionisation enthalpy
 2) enthalpy of atomization
 3) hydration energy
 4) second ionisation enthalpy

Sol. (3)

81. For a certain reaction, the rate = $k[\text{A}]^2[\text{B}]$, when the initial concentration of A is tripled keeping concentration of B constant, the initial rate would

- 1) decrease by a factor of nine
 2) increase by a factor of six
 3) increase by a factor of nine
 4) increase by a factor of three

Sol. (3)

82. Given below are two statements:

Statement-I : A unit formed by the attached of a base of 1' position of sugar is known as nucleoside

Statement-II : When nucleoside is linked to phosphorous acid at 5'-position of sugar moiety, we get nucleotide.

In the light of the above statements, choose the correct answer from the options given below:

- 1) Both statement I and statement II are true
 2) Both statement I and statement II are false
 3) Statement I is true but statement II is false
 4) Statement I is false but statement II is true

Sol. (3)

83. Which of the following reactions will NOT give primary amine as the product?

- 1) $\text{CH}_3\text{CONH}_2 \xrightarrow{\text{Br}_2/\text{KOH}}$ Product
 2) $\text{CH}_3\text{CN} \xrightarrow[\text{(ii) H}_3\text{O}^+]{\text{(i) LiAlH}_4}$ Product
 3) $\text{CH}_3\text{NC} \xrightarrow[\text{(ii) H}_3\text{O}^+]{\text{(i) LiAlH}_4}$ Product
 4) $\text{CH}_3\text{CONH}_2 \xrightarrow[\text{(ii) H}_3\text{O}^+]{\text{(i) LiAlH}_4}$ Product

Sol. (3)

84. The element expected to form largest ion to achieve the nearest noble gas configuration is:

- 1) O 2) F
 3) N 4) Na

Sol. (3)


85. A compound is formed by two elements A and B. The element B forms cubic close packed structure and atoms of A occupy $\frac{1}{3}$ of tetrahedral voids. If the formula of the compound is A_xB_y , then the value of $x + y$ is in option

- 1) 5 2) 4
3) 3 4) 2

Sol. (1)

CHEMISTRY : SECTION-B (Q. 86 to 100)

86. Which amongst the following will be most readily dehydrated under acidic conditions?



Sol. (3)

87. Which amongst the following options is the correct relation between change in enthalpy and change in internal energy?

- 1) $\Delta H = \Delta U - \Delta n_g RT$
2) $\Delta H = \Delta U + \Delta n_g RT$
3) $\Delta H - \Delta U = -\Delta n RT$
4) $\Delta H + \Delta U = \Delta n R$

Sol. (2)

88. Match List-I with List-II :

| List-I (Oxoacids of sulphur) | | List-II (Bonds) | |
|---------------------------------|------------------------|--------------------|------------------------------------|
| A. | Peroxodisulphuric acid | I. | Two S-OH, Four S=O One S-O-S |
| B. | Sulphuric acid | II. | Two S-OH, One S=O |
| C. | Pyrosulphuric acid | III. | Two S-OH, Four S=O, One S-O-O-S |
| D. | Sulphurous acid | IV. | Two S-OH, Two S=O |

Choose the correct answer from the options given below:

- 1) A-I, B-III, C-II, D-IV
2) A-III, B-IV, C-I, D-II
3) A-I, B-III, C-IV, D-II
4) A-III, B-IV, C-II, D-I

Sol. (2)

89. Which of the following statements are INCORRECT?

- A. All the transition metals except scandium form MO oxides which are ionic
B. The highest oxidation number corresponding to the group number is attained in transition metal oxides in Sc_2O_3 to Mn_2O_7
C. Basic character increases from V_2O_3 to V_2O_4 to V_2O_5
D. V_2O_4 dissolves in acids to give VO_4^{3-} salts
E. CrO is basic but Cr_2O_3 is amphoteric

Choose the correct answer from the options given below:

- 1) A and E only 2) B and D only
3) C and D only 4) B and C only

Sol. (3)

90. Which complex compound is most stable?

- 1) $[\text{Co}(\text{NH}_3)_4(\text{H}_2\text{O})\text{Br}](\text{NO}_3)_2$
- 2) $[\text{Co}(\text{NH}_3)_3(\text{NO}_3)_3]$
- 3) $[\text{CoCl}_2(\text{en})_2]\text{NO}_3$
- 4) $[\text{Co}(\text{NH}_3)_6]_2(\text{SO}_4)_3$

Sol. (3)

91. The reaction that does NOT take place in a blast furnace between 900 K to 1500 K temperature range during extraction of iron is :

- 1) $\text{Fe}_2\text{O}_3 + \text{CO} \rightarrow 2\text{FeO} + \text{CO}_2$
- 2) $\text{FeO} + \text{CO} \rightarrow \text{Fe} + \text{CO}_2$
- 3) $\text{C} + \text{CO}_2 \rightarrow 2\text{CO}$
- 4) $\text{CaO} + \text{SiO}_2 \rightarrow \text{CaSiO}_3$








Sol. (1)

92. The equilibrium concentrations of the species in the reaction $\text{A} + \text{B} \rightleftharpoons \text{C} + \text{D}$ are 2, 3, 10 and 6 mole L^{-1} , respectively at 300 K. ΔG° for the reaction is ($R = 2 \text{ cal/mol K}$)

- 1) 1372.60 cal
- 2) -137.26 cal
- 3) -1381.80 cal
- 4) -13.73 cal

Sol. (3)

93. Consider the following compounds/species :



- i. 
- ii. 
- iii. 
- iv. 
- v. 
- vi. 
- vii. 

The number of compounds/species which obey Huckel's rule is _____.

- 1) 4
- 2) 6
- 3) 2
- 4) 5

Sol. (1)

94. On balancing the given redox reaction,







the coefficients a, b and c are found to be, respectively -

- 1) 1, 3, 8
- 2) 3, 8, 1
- 3) 1, 8, 3
- 4) 8, 1, 3

Sol. (1)


95. Identify the final product [D] obtained in the following sequence of reactions.











- 1) 
- 2) 
- 3) C_4H_{10}
- 4) $\text{HC} \equiv \text{C}^\ominus \text{Na}^+$

Sol. (1)

96. Consider the following reaction:




Identify products A and B.


- 1) A =  and B = 
- 2) A =  and B = 
- 3) A =  and B = 
- 4) A =  and B = 

Sol. (3)

97. Identify the major product obtained in the following reaction:



Major product



Sol. (3)

98. Given below are two statements:

Statement-I : The nutrient deficient water bodies lead to eutrophication.

Statement-II : Eutrophication leads to decrease in the level of oxygen in the water bodies.

In the light of the above statements, choose the correct answer from the options given below:

- 1) Both statement I and statement II are true
- 2) Both statement I and statement II are false
- 3) Statement I is correct but statement II is false
- 4) Statement I is incorrect but statement II is true

Sol. (4)

99. What is fraction of one edge centred octahedral void lies in one unit cell of fcc?

- 1) $\frac{1}{2}$
- 2) $\frac{1}{3}$
- 3) $\frac{1}{4}$
- 4) $\frac{1}{12}$

Sol. (3)

100. Pumice stone is an example of

- 1) sol
- 2) gel
- 3) solid sol
- 4) foam

Sol. (3)

Section-C-Biology

Section-A

101. How many ATP and NADPH_2 are required for the synthesis of one molecule of Glucose during Calvin cycle?

- 1) 12 ATP and 12 NADPH_2
- 2) 18 ATP and 12 NADPH_2
- 3) 12 ATP and 16 NADPH_2
- 4) 18 ATP and 16 NADPH_2

Ans : (2)

102. Large, colourful, fragrant flowers with nectar are seen in:

- 1) insect pollinated plants
- 2) bird pollinated plants
- 3) bat pollinated plants
- 4) wind pollinated plants

Ans : (1)

103. The phenomenon of pleiotropism refers to

- 1) presence of several alleles of a single gene controlling a single crossover.
- 2) presence of two alleles, each of the two genes controlling a single trait.
- 3) a single gene affecting multiple phenotypic expression.
- 4) more than two genes affecting a single character.

Ans : (3)

104. Frequency of recombination between gene pairs on same chromosome as a measure of the distance between genes to map their position on chromosome, was used for the first time by

- 1) Thomas Hunt Morgan
- 2) Sutton and Boveri
- 3) Alfred Sturtevant
- 4) Henking

Ans : (3)

105. Given below are two statements :

Statement I : The forces generated by transpiration can lift a xylem-sized column of water over 130 meters height.

Statement II : Transpiration cools leaf surfaces sometimes 10 to 15 degrees, by evaporative cooling.

In the light of the above statements, choose the **most appropriate** answer from the options given below :

- 1) Both Statement I and Statement II are correct.
- 2) Both Statement I and Statement II are incorrect.
- 3) Statement I is correct but Statement II is incorrect.
- 4) Statement I is incorrect but restatement

Ans : (1)

106. Which micronutrient is required for splitting of water molecule during photosynthesis?

- 1) manganese
- 2) molybdenum
- 3) magnesium
- 4) copper

Ans : (1)

107. The reaction centre in PS II has an absorption maxima at

- 1) 680 nm
- 2) 700 nm
- 3) 660 nm
- 4) 780 nm

Ans : (1)

108. Identify the correct statements :

- A. Detrivores perform fragmentation.
- B. The humus is further degraded by some microbes during mineralization.
- C. Water soluble inorganic nutrients go down into the soil and get precipitated by a process called leaching.
- D. The detritus food chain begins with living organisms.
- E. Earthworms break down detritus into smaller particles by a process called catabolism.

Choose the correct answer from the options given below :

- 1) A, B, C only
- 2) B, C, D only
- 3) C, D, E only
- 4) D, E, A only

Ans : (1)

109. The thickness of ozone in a column of air in the atmosphere is measured in terms of :

- 1) Dobson units
- 2) Decibels
- 3) Decameter
- 4) Kilobase

Ans : (1)

110. In tissue culture experiments, leaf mesophyll cells are put in a culture medium to form callus. This phenomenon may be called as :

- 1) Differentiation
- 2) Dedifferentiation
- 3) Development
- 4) Senescence

Ans : (2)

111. Given below are two statements : One is labelled as Assertion A and the other is labelled as Reason R :

Assertion A : ATP is used at two steps in glycolysis.

Reason R : First ATP is used in converting glucose into glucose-6-phosphate and second ATP is used in conversion of fructose-6-phosphate into fructose-1,6-diphosphate.

In the light of the above statements, choose the correct answer from the options given below :

- 1) Both A and R are true and R is the correct explanation of A.
- 2) Both A and R are true but R is NOT the correct explanation of A.
- 3) A is true but R is false.
- 4) A is false but R is true.

Ans : (1)

112. In the equation

$$GPP - R = NPP$$

GPP is Gross Primary Productivity

NPP is Net Primary Productivity

R here is _____.

- 1) Photosynthetically active radiation
- 2) Respiratory quotient
- 3) Respiratory loss
- 4) Reproductive allocation

Ans : (3)

113. Among 'The Evil Quartet', which one is considered the most important cause driving extinction of species?

- 1) Habitat loss and fragmentation
- 2) Over exploitation for economic gain
- 3) Alien species invasions
- 4) Co-extinctions

Ans : (1)

114. Spraying of which of the following phytohormone on juvenile conifers helps in hastening the maturity period, that leads to early seed production?

- 1) Indole-3-butyric Acid
- 2) Gibberellic Acid
- 3) Zeatin
- 4) Absciscic Acid

Ans : (2)

115. Unequivocal proof that DNA is the genetic material was first proposed by

- 1) Frederick Griffith
- 2) Alfred Hershey and Martha Chase
- 3) Avery, Macleoid and McCarthy
- 4) Wilkins and Franklin

Ans : (2)

116. What is the role of RNA polymerase III in the process of transcription in Eukaryotes?

- 1) Transcription of rRNAs (28S, 18S and 5.8S)
- 2) Transcription of tRNA, 5 srRNA and snRNA
- 3) Transcription of precursor of mRNA
- 4) Transcription of only snRNAs

Ans : (2)

117. Among eukaryotes, replication of DNA takes place in -

- 1) M phase
- 2) S phase
- 3) G₁ phase
- 4) G₂ phase

Ans : (2)

118. Which of the following stages of meiosis involves division of centromere?

- 1) Metaphase I
- 2) Metaphase II
- 3) Anaphase II
- 4) Telophase

Ans : (3)

119. The historic Convention on Biological Diversity, 'The Earth Summit' was held in Rio de Janeiro in the year :

- 1) 1985
- 2) 1992
- 3) 1986
- 4) 2002

Ans : (2)

120. Given below are two statements : One is labelled as Assertion A and the other is labelled as Reason R :

Assertion A : The first stage of gametophyte in the life cycle of moss is protonema stage.

Reason R : Protonema develops directly from spores produced in capsule.

In the light of the above statements, choose the **most appropriate** answer from the options given below :

- 1) Both A and R are correct and R is the correct explanation of A.
- 2) Both A and R are correct but R is NOT the correct explanation of A.
- 3) A is correct but R is not correct.
- 4) A is not correct but R is correct.

Ans : (1)

121. In gene gun method used to introduce alien DNA into host cells, microparticles of _____ metal are used.

- 1) Copper
- 2) Zinc
- 3) Tungsten or gold
- 4) Silver

Ans : (3)

122. Cellulose does not form blue colour with Iodine because

- 1) It is a disaccharide.
- 2) It is a helical molecule.
- 3) It does not contain complex helices and hence cannot hold iodine molecules.
- 4) It breaks down when iodine reacts with it.

Ans : (3)

123. What is the function of tassels in the corn cob?

- 1) To attract insects
- 2) To trap pollen grains
- 3) To disperse pollen grains
- 4) To protect seeds

Ans : (2)

124. Axile placentation is observed in

- 1) Mustard, Cucumber and Primrose
- 2) China rose, Beans and Lupin
- 3) Tomato, Dianthus and Pea
- 4) China rose, Petunia and Lemon

Ans : (4)

125. In angiosperm, the haploid, diploid and triploid structures of a fertilized embryo sac sequentially are :

- 1) Synergids, Primary endosperm nucleus and zygote
- 2) Antipodals, synergids, and primary endosperm nucleus
- 3) Synergids, Zygote and Primary endosperm nucleus
- 4) Synergids, antipodals and Polar nuclei

Ans : (3)

126. Expressed Sequence Tags (ESTs) refers to.

- 1) All genes that are expressed as RNA.
- 2) All genes that are expressed as proteins.
- 3) All genes whether expressed or unexpressed.
- 4) Certain important expressed genes.

Ans : (1)

127. Family Fabaceae differs from Solanaceae and Liliaceae. With respect to the stamens, pick out the characteristics specific to family Fabaceae but not found in Solanaceae or Liliaceae.

- 1) Diadelphous and Ditheous anthers
- 2) Polyadelphous and epipetalous stamens
- 3) Monoadelphous and Monothecous anthers
- 4) Epiphyllous and Ditheous anthers

Ans : (1)

128. The process of appearance of recombination nodules occurs at which sub stage of prophase I in meiosis?

- 1) Zygotene
- 2) Pachytene
- 3) Diplotene
- 4) Diakinesis

Ans : (2)

129. Which hormone promotes internode/petiole elongation in deep water rice?

- 1) GA₃
- 2) Kinetin
- 3) Ethylene
- 4) 2, 4-D

Ans : (3)

130. Upon exposure to UV radiation, DNA stained with ethidium bromide will show

- 1) Bright red colour
- 2) Bright blue colour
- 3) Bright yellow colour
- 4) Bright orange colour

Ans : (4)

131. Given below are two statements :

Statement I : Endarch and exarch are the terms often used for describing the position of secondary xylem in the plant body.

Statement II : Exarch condition is the most common feature of the root system.

In the light of the above statements, choose the correct answer from the options given below :

- 1) Both Statement I and Statement II are true.
- 2) Both Statement I and Statement II are false.
- 3) Statement I is correct but Statement II is false.
- 4) Statement I is incorrect but Statement II is true.

Ans : (4)

132. Movement and accumulation of ions across a membrane against their concentration gradient can be explained by

- 1) Osmosis
- 2) Facilitated Diffusion
- 3) Passive Transport
- 4) Active Transport

Ans : (4)

133. During the purification process for recombinant DNA technology, addition of chilled ethanol precipitates out

- 1) RNA
- 2) DNA
- 3) Histones
- 4) Polysaccharides

Ans : (2)

134. Identify the pair of heterosporous pteridophytes among the following :

- 1) *Lycopodium and Selaginella*
- 2) *Selaginella and Salvinia*
- 3) *Psilotum and Salvinia*
- 4) *Equisetum and Salvinia*

Ans : (2)

135. Given below are two statements : One is labelled as Assertion A and the other is labelled as Reason R :

Assertion A : Late wood has fewer xylary elements with narrow vessels.

Reason R : Cambium is less active in winters.

In the light of the above statements, choose the correct answer from the options given below :

- 1) Both A and R are true and R is the correct explanation of A.
- 2) Both A and R are true but R is NOT the correct explanation of A.
- 3) A is true but R is false.
- 4) A is false but R is true.

Ans : (1)

Section-B

136. How many different proteins does the ribosome consist of?

- 1) 80
- 2) 60
- 3) 40
- 4) 20

Ans : (1)

137. Match List I with List II

| List I | | List II | |
|--------|---------------------------|---------|---------------------------|
| a | Oxidative decarboxylation | i | Citrate synthase |
| b | Glycolysis | ii | Pyruvate dehydrogenase |
| c | Oxidative phosphorylation | iii | Electron transport system |
| d | Tricarboxylic acid cycle | iv | EMP pathway |

Choose the correct answer from the options given below :

- 1) a-iii, b-iv, c-ii, d-i
- 2) a-ii, b-iv, c-i, d-iii
- 3) a-iii, b-i, c-ii, d-iv
- 4) a-ii, b-iv, c-iii, d-i

Ans : (4)

138. Match List I with List II :

| List I | | List II | |
|--------|-----------------|---------|---|
| a | Cohesion | i | More attraction in liquid phase |
| b | Adhesion | ii | Mutual attraction among water molecules |
| c | Surface tension | iii | Water loss in liquid phase |
| d | Guttation | iv | Attraction towards polar |

- 1) a-ii, b-iv, c-i, d-iii 2) a-iv, b-iii, c-ii, d-i
3) a-iii, b-i, c-iv, d-ii 4) a-ii, b-i, c-iv, d-iii

Ans : (1)

139. Given below are two statements :

Statement I : Gause's 'Competitive Exclusion Principle' states that two closely related species competing for the same resources cannot co-exist indefinitely and competitively inferior one will be eliminated eventually.

Statement II : In general, carnivores are more adversely affected by competition than herbivores.

In the light of the above statements, choose the **correct** answer from the options given below :

- 1) Both Statement I and Statement II are true.
2) Both Statement I and Statement II are false.
3) Statement I is correct but Statement II is false.
4) Statement I is incorrect but Statement II is true.

Ans : (3)

140. Match List I with List II :

| List I | | List II | |
|--------|----------------------|---------|--|
| a | M Phase | i | Proteins are synthesized |
| b | G ₂ Phase | ii | Inactive phase |
| c | Quiescent | iii | Interval between mitosis and initiation of DNA replication |
| d | G ₁ Phase | iv | Equational division |

- 1) a-iii, b-ii, c-iv, d-i 2) a-iv, b-ii, c-i, d-iii
3) a-iv, b-i, c-ii, d-iii 4) a-ii, b-iv, c-i, d-iii

Ans : (3)

141. Which one of the following statements is NOT correct?

- 1) The micro-organisms involved in biodegradation of organic matter in a sewage polluted water body consume a lot of oxygen causing the death of aquatic organisms.
- 2) Algal blooms caused by excess of organic matter in water improve water quality and promote fisheries.
- 3) Water hyacinth grows abundantly in eutrophic water bodies and leads to an imbalance in the ecosystem dynamics of the water body.
- 4) The amount of some toxic substances of industrial waste water increases in the organisms at successive trophic levels.

Ans : (2)

142. Given below are two statements : One is labelled as Assertion A and the other is labelled as Reason R :

Assertion A : In gymnosperms the pollen grains are released from the microsporangium and carried by air currents.

Reason R : Air currents carry the pollen grains to the mouth of the archegonia where the male gametes are discharged and pollen tube is not formed.

In the light of the above statements, choose the **correct** answer from the options given below.

- 1) Both A and R are true and R is the correct explanation of A.
- 2) Both A and R are true but R is NOT the correct explanation of A.
- 3) A is true but R is false.
- 4) A is false but R is true.

Ans : (3)

143. Which of the following combinations is required for chemiosmosis?

- 1) membrane, proton pump, proton gradient, ATP synthase
- 2) membrane, proton pump, proton gradient, NADP synthase
- 3) proton pump, electron gradient, ATP synthase
- 4) proton pump, electron gradient, NADP synthase

Ans : (1)

144. Main steps in the formation of Recombinant DNA are given below. Arrange these steps in a correct sequence.

- Insertion of recombinant DNA into the host cell.
 - Cutting of DNA at specific location by restriction enzyme.
 - Isolation of desired DNA fragment.
 - Amplification of gene of interest using PCR.
- Choose the correct answer from the options given below :

- 1) B, C, D, A
- 2) C, A, B, D
- 3) C, B, D, A
- 4) B, D, A, C

Ans : (1)

145. Given below are two statements : One is labelled as Assertion A and the other is labelled as Reason R :

Assertion A : A flower is defined as modified shoot wherein the shoot apical meristem changes to floral meristem.

Reason R : Internode of the shoot gets condensed to produce different floral appendages laterally at successive nodes instead of leaves.

In the light of the above statements, choose the correct answer from the options given below :

- 1) Both A and R are true and R is the correct explanation of A.
- 2) Both A and R are true but R is NOT the correct explanation of A.
- 3) A is true but R is false.
- 4) A is false but R is true.

Ans : (1)

146. Match List I with List II :

| List I | | List II | |
|--------|------------|---------|-------------------------------------|
| a | Iron | i | Synthesis of auxin |
| b | Zinc | ii | Component of nitrate reductase |
| c | Boron | iii | Activator of catalase |
| d | Molybdenum | iv | Cell elongation and differentiation |

Choose the correct answer from the options given below :

- 1) a-iii, b-ii, c-i, d-iv
- 2) a-ii, b-iii, c-iv, d-i
- 3) a-iii, b-i, c-iv, d-ii
- 4) a-ii, b-iv, c-i, d-iii

Ans : (3)

147. Identify the correct statements :

- Lenticels are the lens-shaped openings permitting the exchange of gases.
- Bark formed early in the season is called hard bark.
- Bark is a technical term that refers to all tissues exterior to vascular cambium.
- Bark refers to periderm and secondary phloem.
- Phellogen is single-layered in thickness.

Choose the correct answer from the options given below :

- 1) B, C and E only
- 2) A and D only
- 3) A, B and D only
- 4) B and C only

Ans : (2)

148. Which of the following statements are correct about Klinefelter's Syndrome?

- This disorder was first described by Langdon Down (1866).
- Such an individual has overall masculine development. However, the feminine development is also expressed.
- The affected individual is short statured.
- Physical, psychomotor and mental development is retarded.
- Such individuals are sterile.

Choose the correct answer from the options given below :

- 1) A and B only
- 2) C and D only
- 3) B and E only
- 4) A and E only

Ans : (3)

149. Melonate inhibits the growth of pathogenic bacteria by inhibiting the activity of

- 1) Succinic dehydrogenase
- 2) Amylase
- 3) Lipase
- 4) Dinitrogenase

Ans : (1)

150. Match List I with List II :

| List I (Interaction) | | List II (Species A and B) | |
|-------------------------|-------------|------------------------------|------------|
| a | Mutualism | i | +(A), O(B) |
| b | Commensalis | ii | -(A), O(B) |
| c | Amensalism | iii | +(A), -(B) |
| d | Parasitism | iv | +(A), +(B) |

Choose the correct answer from the options given below :

- 1) a-iv, b-ii, c-i, d-iii 2) a-iv, b-i, c-ii, d-iii
3) a-iv, b-iii, c-i, d-ii 4) a-iii, b-i, c-iv, d-ii

Ans : (2)

Section-D-Zoology

Section-A

151. Which one of the following common sexually transmitted diseases is completely curable when detected early and treated properly?

- 1) Genital herpes 2) Gonorrhoea
3) Hepatitis-B 4) HIV Infection

Ans : (2)

152. Which of the following statements are correct regarding female reproductive cycle?

- A. In non-primate mammals cyclical changes during reproduction are called oestrus cycle.
B. First menstrual cycle begins at puberty and is called menopause.
C. Lack of menstruation may be indicative of pregnancy.
D. Cyclic menstruation extends between menarche and menopause.

Choose the most appropriate answer from the options given below:

- 1) A and D only 2) A and B only
3) A, B and C only 4) A, C and D only

Ans : (4)

153. Match List I with List II.

| List-I | | List-II | |
|--------|---------------|---------|----------------------------|
| a. | Vasectomy | i. | Oral method |
| b. | Coitus | ii. | Barrier method interruptus |
| c. | Cervical caps | iii. | Surgical method |
| d. | Saheli | iv. | Natural method |

Choose the correct answer from the options given below:

- 1) a-iii, b-i, c-iv, d-ii 2) a-iii, b-iv, c-ii, d-i
3) a-ii, b-iii, c-i, d-iv 4) a-iv, b-ii, c-i, d-iii

Ans : (2)

154. Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R.

Assertion A: Amniocentesis for sex determination is one of the strategies of Reproductive and Child Health Care Programme.

Reason R: Ban on amniocentesis checks increasing menace of female foeticide.

In the light of the above statements, choose the correct answer from the options given below:

- 1) Both A and R are true and R is the correct explanation of A.
2) Both A and R are true and R is NOT the correct explanation of A.
3) A is true but R is false.
4) A is false but R is true.

Ans : (4)

155. Which of the following are NOT considered as the part of endomembrane system?

- A. Mitochondria
B. Endoplasmic Reticulum
C. Chloroplasts
D. Golgi complex
E. Peroxisomes

Choose the most appropriate answer from the options given below:

- 1) B and D only 2) A, C and E only
3) A and D only 4) A, D and E only

Ans : (2)

156. Vital capacity of lung is .

- 1) IRV + ERV
- 2) IRV + ERV + TV + RV
- 3) IRV + ERV + TV – RV
- 4) IRV + ERV + TV

Ans : (4)

157. Match List I with List II.

List I

List II

| | List-I | | List-II |
|----|----------|------|------------------------|
| a. | Gene 'a' | i. | β -galactosidase |
| b. | Gene 'y' | ii. | Transacetylase |
| c. | Gene 'i' | iii. | Permease |
| d. | Gene 'z' | iv. | Repressor protein |

Choose the correct answer from the options given below:

- 1) a-ii, b-i, c-iv, d-iii
- 2) a-ii, b-iii, c-iv d-i
- 3) a-iii, b-iv, c-i, d-ii
- 4) a-iii, b-i, c-iv, d-ii

Ans : (2)

158. Match List I with List II.

| | List-I | | List-II |
|----|--------|------|---------------|
| a. | CCK | i. | Kidney |
| b. | GIP | ii. | Heart |
| c. | ANF | iii. | Gastric gland |
| d. | ADH | iv. | Pancreas |

Choose the correct answer from the options given below:

- 1) a-iv, b-iii, c-ii, d-i
- 2) a-iii, b-ii, c-iv, d-i
- 3) a-ii, b-iv, c-i, d-iii
- 4) a-iv, b-ii, c-iii, d-i

Ans : (1)

159. Match List I with List II.

| | List-I | | List-II |
|----|---|------|------------------|
| a. | A Leopard and a Lion in a forest/grassland | i. | Competition |
| b. | A Cuckoo laying egg in a Crow's nest | ii. | Borrd parasitism |
| c. | Fungi and root of a higher plant in Mycorrtizae | iii. | Mutualism |
| d. | A cttle egret and a Cattle in a field | iv. | Commensalism |

Choose the correct answer from the options ' given below:

- 1) a-i, b-ii, c-iii, d-iv
- 2) a-i, b-ii, c-iv, d-iii
- 3) a-iii, b-iv, c-i, d-ii
- 4) a-ii, b-iii, c-i, d-iv

Ans : (1)

160. Given below are two statements:

Statement-I: Low temperature preserves the enzyme in a temporarily inactive state whereas high temperature destroys enzymatic activity because proteins are denatured by heat.

Statement-II: When the inhibitor closely resembles the substrate in its molecular structure and inhibits the activity of the enzyme it is known as competitive inhibitor.

In the light of the above statements, choose the correct answer from the options given below:

- 1) Both Statement I and Statement II are true.
- 2) Both Statement I and Statement II are false.
- 3) Statement I is true but Statement II is false.
- 4) Statement I is false but Statement II is true.

Ans : (1)

161. Select the correct group/set of Australian Marsupials exhibiting adaptive radiation.

- 1) Tasmanian wolf, Bobcat, Marsupial mole
- 2) Numbat, Spotted cuscus, Flying phalanger
- 3) Mole, Flying squirrel, Tasmanian tiger cat
- 4) Lemur, Anteater, Wolf

Ans : (2)

162. Match List I with List II.

| | List-I | | List-II |
|----|---------------|------|--|
| a. | Peptic cells | i. | Mucus |
| b. | Goblet cells | ii. | Bile juice |
| c. | Oxyntic cells | iii. | Proenzyme pepsinogen |
| d. | Hepatic cells | iv. | HCl and intrinsic factor for absorption of vitamin B ₁₂ |

Choose the correct answer from the options given below:

- 1) a-iv, b-iii, c-ii, d-i 2) a-ii, b-i, c-iii, d-iv
 3) a-iii, b-i, c-iv, d-ii 4) a-ii, b-iv, c-i, d-iii

Ans : (3)

163. Which one of the following techniques does not serve the purpose of early diagnosis of a disease for its early treatment?

- 1) Recombinant DNA Technology
 2) Serum and Urine analysis
 3) Polymerase Chain Reaction (PCR) technique
 4) Enzyme Linked Immuno-Sorbent Assay (ELISA) technique

Ans : (2)

164. Match List I with List II with respect to human eye

| | List-I | | List-II |
|----|------------|------|--|
| a. | Fovea | i. | Visible coloured portion of eye that regulates diameter of pupil |
| b. | Iris | ii. | External layer of eye formed of dense connective tissue. |
| c. | Blind spot | iii. | Point of greatest visual acuity or resolution. |
| d. | Sclera | iv. | Point where optic nerve leaves the eyeball and photoreceptor cells are absent. |

Choose the correct answer from the options given below:

- 1) a-iii, b-i, c-iv, d-ii 2) a-iv, b-iii, c-ii, d-i
 3) a-i, b-iv, c-iii, d-ii 4) a-ii, b-i, c-iii, d-iv

Ans : (1)

165. Which of the following functions is carried out by cytoskeleton in a cell?

- 1) Nuclear division 2) Protein synthesis
 3) Motility 4) Transportation

Ans : (3)

166. Broad palm with single palm crease is visible in a person suffering from-

- 1) Down's syndrome
 2) Turner's syndrome
 3) Klinefelter's syndrome
 4) Thalassemia

Ans : (1)

167. Given below are two statements:

Statement-I: In prokaryotes, the positively charged DNA is held with some negatively charged proteins in a region called nucleoid.

Statement-II: In eukaryotes, the negatively charged DNA is wrapped around the positively charged histone octamer to form nucleosome.

In the light of the above statements, choose the correct answer from the options given below:

- 1) Both Statement I and Statement II are true.
- 2) Both Statement I and Statement II are false.
- 3) Statement I is correct but Statement II is false.
- 4) Statement I incorrect but Statement II is true.

Ans : (4)

168. Match List I with List II

| | List-I | | List-II |
|----|-----------|------|--------------------------------------|
| a. | Heroin | i. | Effect on cardiovascular system |
| b. | Marijuana | ii. | Slow down body function |
| c. | Cocaine | iii. | Painkiller |
| d. | Morphine | iv. | Interfere with transport of dopamine |

- 1) a-ii, b-i, c-iv, d-iii
- 2) a-i, b-ii, c-iii, d-iv
- 3) a-iv, b-iii, c-ii, d-i
- 4) a-iii, b-iv, c-i, d-ii

Ans : (1)

169. Given below are two statements:

Statement-I: Ligaments are dense irregular tissue.

Statement-II: Cartilage is dense regular tissue.

In the light of the above statements, choose correct answer from the options given below:

- 1) Both Statement I and Statement II are true.
- 2) Both Statement I and Statement II are false.
- 3) Statement I is true but Statement II is false.
- 4) Statement I is false but Statement II is true

Ans : (2)

170. In which blood corpuscles, the HIV undergoes replication and produces progeny viruses?

- 1) T_H cells
- 2) B-lymphocytes
- 3) Basophils
- 4) Eosinophils

Ans : (1)

171. Given below are two statements:

Statement I: Electrostatic precipitator is most widely used-in thermal power plant.

Statement II: Electrostatic precipitator in thermal power plant removes ionising radiations

In the light of the above statements, choose the most appropriate answer from the options given below:

- 1) Both Statement I and Statement II are correct.
- 2) Both Statement I and Statement II are incorrect.
- 3) Statement I is correct but Statement II is incorrect.
- 4) Statement I incorrect but Statement II is correct.

Ans : (3)

172. Given below are two statements:

Statement I: Vas deferens receives a duct from seminal vesicle and opens into urethra as the ejaculatory duct.

Statement II: The cavity of the cervix is called cervical canal which along with vagina forms birth canal.

In the light of the above statements, choose the correct answer from the options given below:

- 1) Both Statement I and Statement II are true.
- 2) Both Statement I and Statement II are false
- 3) Statement I is correct but Statement II is false.
- 4) Statement I incorrect but Statement II is true.

Ans : (1)

173. Match List I with List II.

| | List - I | | List - II |
|----|-----------------------|------|--|
| a. | Cartilaginous Joint | i. | Between flat skull bones |
| b. | Ball and Socket Joint | ii. | Between adjacent vertebrae in vertebral column |
| c. | Fibrous Joint | iii. | Between carpal and metacarpal of thumb |
| d. | Saddle Joint | iv. | Between Humerus and Pectoral girdle |

Choose the correct answer from the options given below:

- 1) a - iii, b - i, c - ii, d - iv
- 2) a - ii, b - iv, c - i, d - iii
- 3) a - i, b - iv, c - iii, d - ii
- 4) a - ii, b - iv, c - iii, d - i

Ans : (2)

174. Match List I with List II.

| | List - I | | List - II |
|----|------------|------|-------------------------------|
| a. | Ringworm | i. | <i>Haemophilus influenzae</i> |
| b. | Filariasis | ii. | <i>Trichophyton</i> |
| c. | Malaria | iii. | <i>Wuchereria bancrofti</i> |
| d. | Pneumonia | iv. | <i>Plasmodium vivax</i> |

Choose the correct answer from the options given below:

- 1) a - ii, b - iii, c - iv, d - i
- 2) a - ii, b - iii, c - i, d - iv
- 3) a - iii, b - ii, c - i, d - iv
- 4) a - iii, b - ii, c - iv, d - i

Ans : (1)

175. Given below are statements: one is labelled as Assertion A and the other is labelled as Reason R.

Assertion A: Nephrons are of two types: Cortical & Juxta medullary, based on their relative position in cortex and medulla.

Reason R: Juxta medullary nephrons have short loop of Henle whereas, cortical nephrons have longer loop of Henle.

In the light of the above statements, choose the correct answer from the options given below:

- 1) Both A and R are true and R is the correct explanation of A
- 2) Both A and R are true but R is NOT the correct explanation of A.
- 3) A is true but R is false.
- 4) A is false but R is true.

Ans : (3)

176. Given below are two statements:

Statement I: A protein is imagined as a line, the left end represented by first amino acid (C-terminal) and the right end represented by last amino acid (N-terminal)

Statement II: Adult human haemoglobin, consists of 4 subunits (two subunits of α type and two subunits of β type.)

In the light of the above statements, choose the correct answer from the options given below:

- 1) Both Statement I and Statement II are true.
- 2) Both Statement I and Statement II are false.
- 3) Statement I is true but Statement II is false.
- 4) Statement I is false but Statement II is true.

Ans : (4)

177. Which of the following statements is correct?

- 1) Eutrophication refers to increase in domestic sewage and waste water in lakes.
- 2) Biomagnification refers to increase in concentration of the toxicant at successive trophic levels.
- 3) Presence of large amount of nutrients in water restricts 'Algal Bloom'
- 4) Algal Bloom decreases fish mortality

Ans : (2)

178. Radial symmetry is NOT found in adults of phylum _____.

- 1) Ctenophora
- 2) Hemichordata
- 3) Coelenterata
- 4) Echinodermata

Ans : (2)

179. Given below are two statements:

Statement I: RNA mutates at a faster rate.


Statement II: Viruses having RNA genome and shorter life span mutate and evolve, faster.

In the light of the above statements, choose the correct answer from the options given below:

- 1) Both-Statement I and Statement II are true.
- 2) Both Statement I and Statement II are false.
- 3) Statement I is true but Statement II is false.
- 4) Statement I false but Statement II is true.

Ans : (1)

180. Which one of the following symbols represents mating between relatives in 'human pedigree analysis'?

- 1) 
- 2) 
- 3) 
- 4) 

Ans : (2)

181. Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R.

Assertion A: Endometrium is necessary for implantation of blastocyst.

Reason R: In the absence of fertilization, the corpus luteum degenerates that causes disintegration of endometrium.

In the light of the above statements, choose the correct answer from the options given below:

- 1) Both A and R are true and R is the correct explanation of A.
- 2) Both A and R are true but R is NOT the correct explanation of A.
- 3) A is true but R is false.
- 4) A is false but R is true.

Ans : (2)

182. Once the undigested and unabsorbed substances enter the caecum, their back flow is prevented by-

- 1) Sphincter of Oddi
- 2) Ileo - caecal valve
- 3) Gastro - oesophageal sphincter
- 4) Pyloric sphincter

Ans : (2)

183. Match List I with List II.

| | List - I | | List - II |
|----|--------------------|------|---------------------|
| a. | <i>Taenia</i> | i. | Nephridia |
| b. | <i>Paramoecium</i> | ii. | Contractile vacuole |
| c. | <i>Periplaneta</i> | iii. | Flame cells |
| d. | <i>Pheretima</i> | iv. | Urecoase gland |

Choose the correct answer from the options give below:

- 1) a - i, b - ii, c - iii, d - iv
- 2) a - i, b - ii, c - iv, d - iii
- 3) a - iii, b - ii, c - iv, d - i
- 4) a - ii, b - i, c - iv, d - iii

Ans : (3)

184. Which of the following is not a cloning vector?

- 1) BAC
- 2) YAC
- 3) pBR322
- 4) Probe

Ans : (4)

185. Match List I with List II.

| | List - I | | List - II |
|----|-------------|------|------------------------------|
| a. | P-wave | i. | Beginning of systole |
| b. | Q-wave | ii. | Repolarisation of ventricles |
| c. | QRS complex | iii. | Depolarisation of atria |
| d. | T-wave | iv. | Depolarisation of ventricles |

Choose the correct answer from the options given below:

- 1) a - iii, b - i, c - iv, d - ii
- 2) a - iv, b - iii, c - ii, d - i
- 3) a - ii, b - iv, c - i, d - iii
- 4) a - i, b - ii, c - iii, d - iv

Ans : (1)

Section-B

186. Which of the following are NOT under the control of thyroid hormone?

- A. Maintenance of water and electrolyte balance
- B. Regulation of basal metabolic rate
- C. Normal rhythm of sleep-wake cycle
- D. Development of immune system
- E. Support the process of R.B.Cs formation

Choose the correct answer from the options given below:

- 1) A and D only
- 2) B and C only
- 3) C and D only
- 4) D and E only

Ans : (3)

187. Which of the following statements are correct?

- A. An excessive loss of body fluid from the body switches off osmoreceptors.
- B. ADH facilitates water reabsorption to prevent diuresis.
- C. ANF causes vasodilation.
- D. ADH causes increase in blood pressure.
- E. ADH is responsible for decrease in GFR.

Choose the correct answer from the options given below:

- 1) A and B only
- 2) B, C and D only
- 3) A, B and E only
- 4) C, D and E only

Ans : (2)

188. In cockroach, excretion is brought about by-

- A. Phallic gland
- B. Ureose gland
- C. Nephrocytes
- D. Fat body
- E. Collateral glands

Choose the correct answer from the options given below:

- 1) A and E only
- 2) A, B and E only
- 3) B, C and D only
- 4) B and D only

Ans : (3)

189. The parts of human brain that helps in regulation of sexual behaviour, expression of excitement, pleasure, rage, fear etc. are :

- 1) Limbic system & hypothalamus
- 2) Corpora quadrigemina & hippocampus
- 3) Brain stem & epithalamus
- 4) Corpus callosum and thalamus

Ans : (1)

190. Which of the following statements are correct?

- A. Basophils are most abundant cells of the total WBCs
- B. Basophils secrete histamine, serotonin and heparin
- C. Basophils are involved in inflammatory response
- D. Basophils have kidney shaped nucleus
- E. Basophils are agranulocytes

Choose the correct answer from the options given below:

- 1) D and E only
- 2) C and E only
- 3) B and C only
- 4) A and B only

Ans : (3)

191. Which one of the following is the sequence on corresponding coding strand, if the sequence on mRNA formed is as follows

5'AUCGAUCGAUCGAUCG AUCG AUCG 3'?

- 1) 5' UAGCUAGCUAGCUAGCUA GCUAGC UAGC 3'
- 2) 3' UAGCUAGCUAGCUAGCUA GCUAGCUAGC 5'
- 3) 5' ATCGATCGATCGATCGATCG ATCGATCG 3'
- 4) 3' ATCGATCGATCGATCGATCG ATCGATCG 5'

Ans : (3)

192. Which of the following statements are correct regarding skeletal muscle?

- A. Muscle bundles are held together by collagenous connective tissue layer called fascicle.
- B. Sarcoplasmic reticulum of muscle fibre is a store house of calcium ions.
- C. Striated appearance of skeletal muscle Fibre is due to distribution pattern of actin and myosin proteins.
- D. M line is. considered as functional unit of contraction called sarcomere.

Choose the most appropriate answer from the options given below :

- 1) A, B and C only 2) B and C only
- 3) A, C and D only 4) C and D only

Ans : (2)

193. The unique mammalian characteristics are :

- 1) hairs, tympanic membrane and mammary gland
- 2) hairs, pinna and mammary glands
- 3) hairs, pinna and indirect development
- 4) pinna, monocondylic skull and mammary glands

Ans : (2)

194. Match List I with List II.

| List - I | List - II |
|--------------------------------|-----------------------------------|
| a. Mast cells | i. Ciliated epithelium |
| b. Inner surface of bronchiole | ii. Areolar connective tissue |
| c. Blood | iii. Cuboidal epithelium |
| d. Tubular parts of nephron | iv. Specialised connective tissue |

Choose the correct answer from the options give below:

- 1) a - i, b - ii, c - iv, d - iii
- 2) a - ii, b - iii, c - i, d - iv
- 3) a - ii, b - i, c - iv, d - iii
- 4) a - iii, b - iv, c - ii, d - i

Ans : (3)

195. Select the correct statements with reference to chordates.

- A. Presence of a mid-dorsal, solid and double nerve cord.
- B. Presence of closed circulatory system.
- C. Presence of paired pharyngeal gillslits.
- D. Presence of dorsal heart
- E. Triploblastic pseudocoelomate animals.

Choose the correct answer from the options given below:

- 1) A, C and D only 2) B and C only
- 3) B, D and E only 4) C, D and E only

Ans : (2)

196. Which one of the following is NOT an advantage of inbreeding?

- 1) It decreases homozygosity.
- 2) It exposes harmful recessive genes that are eliminated by selection.
- 3) Elimination of less desirable genes and accumulation of superior genes takes place due to it.
- 4) It decreases the productivity of inbred population, after continuous inbreeding.

Ans : (4)

197. Given below are two statements:

Statement I: During G_0 phase of cell cycle, the cell is metabolically inactive.

Statement II: The centrosome undergoes duplication during S phase of interphase. In the light of the above statements, choose the most appropriate answer from the options given below:

- 1) Both Statement I and Statement II are correct.
- 2) Both Statement I and Statement II are incorrect.
- 3) Statement I is correct but Statement II is incorrect.
- 4) Statement I is incorrect but Statement II is correct.

Ans : (4)

198. Match List I with List II.

| | List - I | | List - II |
|----|-----------------------|------|--|
| a. | Logistic growth | i. | Unlimited resource availability condition |
| b. | Exponential growth | ii. | Limited resource availability condition |
| c. | Expanding age pyramid | iii. | The percent individuals of pre-reproductive age is largest followed by reproductive and post reproductive age groups |
| d. | Stable age pyramid | iv. | The percent individuals of pre-reproductives and reproductive age group are same |

Choose the correct answer from the options given below:

- 1) a - ii, b - i, c - iii, d - iv
- 2) a - ii, b - iii, c - i, d - iv
- 3) a - ii, b - iv, c - i, d - iii
- 4) a - ii, b - iv, c - iii, d - i

Ans : (1)

199. Select the correct statements.

- A. Tetrad formation is seen during Leptotene.
- B. During Anaphase, the centromeres split and chromatids separate.
- C. Terminalization takes place during Pachytene.
- D. Nucleolus, Golgi complex and ER are reformed during Telophase.
- E. Crossing over takes place between sister chromatids of homologous chromosome.

Choose the correct answer from the options given below:

- 1) A and C only
- 2) B and D only
- 3) A, C and E only
- 4) B and E only

Ans : (2)

200. Which of the following is characteristic feature of cockroach regarding sexual dimorphism?

- 1) Dark brown body colour and anal cerci
- 2) Presence of anal styles
- 3) Presence of sclerites
- 4) Presence of anal cerci

Ans : (2)